

<b>Archery Equipment and Tuning Record Form</b>									
<b>Compound Bow</b>									
<b>Name:</b>					<b>Date:</b>				
<b>Bow Details:</b>		Make:			Model:				
Riser Length:		Axle to Axle Length:			Right Hand or Left Hand:				
Marked Draw Weight Range:				Recommended Brace Height:					
Actual Draw Weight:			Let-Off %:			Tuned Brace Height:			
Limbs:	Make:		Model:		Length:		Limb Dampners:		
Tiller Settings:		Top Limb:		Bottom Limb:		Limb Dampner Location:			
Bow Grip:		Type:		Size:		Other:			
Cam Wheel Type:			Cam Setting:			Draw Length Setting:			
Synchronised Wheel Roll-Over Setting:						Cable Guard Position:			
Cable Glide:		Make:		Model:		Position Setting:			
<b>Bowstring Details</b>		Length:		Material:		Strand Thickness:			
Number of Strands:				Number of Twists in Bowstring:					
Bottom Loop Length:			Top Loop Length:			Centre Serving Length:			
Bottom Serving Length:			Top Serving Length:			Centre Serving Location-			
Loop Serving Material:				Diameter:		Distance from square of			
Centre Serving Material:				Diameter:		Arrow Rest: Top:		Btm:	
Peep Sight Make:			Peep Sight Size:			Peep Sight Location:			
Cables Length:			Material:			Strand Thickness:			
Number of Strands:			Number of Twists-Top Cable:			Bottom Cable:			
<b>Nocking Point on Bowstring:</b>		Type:		Material:		Weight:			
Nocking Point on Bowstring Location:						(Measured square of Arrow Rest)			
<b>Arrow Rest (Fingers):</b>		Make:		Model:		Location:			
<b>Arrow Launcher (Release Aid):</b>		Make:		Model:		Spring Setting:			
Over-Draw Length: (6cm Max.)		Centre-Shot Position:			Height:				
<b>Pressure Button:</b>		Make:		Model:					
Number of Turns to Centre-Shot Position:									
Pressure Button Spring:				( Soft, Medium, Hard )					
Number of Turns to Tune Spring Pressure:									
<b>Clicker:</b>		Make:		Model:		Position Setting:			
<b>Bowsight:</b>		Make:		Model:		Sight Pin Type:			
Scope Sight Make:			Scope Sight Magnification:			Extension bar length:			
Sight Settings:		30 M. =		50 M. =		70 M. =			
		90 M. =							
Sight Windage Setting for No Wind:									
<b>Stabilizer Rods:</b>									
Long Rod: Make:		Model:		Length:		Weights:			
V-Bar Rods:		Length:		Weights:					
Other Rods:		Length:		Weights:					
Stabilizer Dampners:				Dampner Setting:					
<b>Total Mass Weight of Bow:</b>					(including all accessories)				
<b>Release Aid:</b>		Make:		Model:		Trigger Setting:			
<b>Arrows:</b>		Make:		Model:		Size:			
Cut Shaft Length:		Shaft Weight per Inch:			Weight =		0.00		
Point Type:		Point Weight:		Point Break-Off:					
Point Insert:		Point Insert Weight:							
Any Additional Point Weight:				Measured F.O.C. %:					
Nock Type:		Nock Size:		Nock Weight:					
Nock Inserts:		Nock Insert Weight:		Nock Tension:					
Nock Alignment Angle to Index Fletch:									
Fletches: Make:		Size:		Fletch Weight:		(each)			
Fletch Angle:		Fletch Helical:							
Fletch Location on Shaft:									
Calculated Mass Weight of Arrow:				0.00		Measured Mass Weight of Arrow:			
Measured Velocity of Arrow:									
Paper Tuning:		Measured Distance from Paper Frame:			Tuned Tear Size:				
Bare Shaft Tuning:		Distance to Target:			Measured Impact Point:				